## NSN 6210-01-420-0352

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-420-0352

Hazardous Locations/environmental Protection:
Dripproof
Overall Length:
2.781 inches
Overall Diameter:
0.810 inches
Lamp Base Type Accommodated:
Miniature bayonet
Lamp Bulb Size Designator:
T-3 1/4
Lens Quantity:
1
Lens Color:
Red single light 1st position horizontal
End Application:
Oliver perry class ffg; nimitz class cvn; ticonderoga class cg (47); tarawa class lha; wasp class lhd; spruance class dd (963); forrestal
class cv; supply class aoe; whidbey island class lsd; powhatan class t-atf 166; fms build frigates class ships; arleigh burke class ddg
Lens Mounting Method:
Screw in
Mounting Method:
Panel
Lamp Type Accommodated And Quantity:
1 neon
Lens Type:
Stovepipe, knurled single light 1st position horizontal
Lens Light Transmission Characteristic:
Transparent single light 1st position horizontal
Transmitted Light Color:
Red single light 1st position horizontal full display division a
Special Features:
E/i application chassis assembly am-221on/wtc, cage 12763; panel hole diameter 0.691 inches; panel hole width 0.660 inches
Material:
Plastic lens
Style Designator:
Round frame, round lens type
Terminal Type And Quantity:
2 solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

## NSN 6210-01-420-0352

Indicator Light - Page 2 of 2



Fiig:

A065a0

Mil-std (military Standard):

Mil-I-3661 spec.