## NSN 6210-01-529-7684

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6210-01-529-7684

Hazardous Locations/environmental Protection:
Watertight and shock proof
Overall Length:
2.630 inches
Overall Height:
1.750 inches
Overall Width:
2.120 inches
Lamp Base Type Accommodated:
Midget screw
Lens Quantity:
1
Lens Color:
Green single light 1st position horizontal
Multilamp Circuit Type:
Two lamp common
Lamp Industry Number:
1769
End Application:
Controller
Long Mounting Methods
Lens Mounting Method:
Push in
Push in
Push in  Mounting Method:
Push in  Mounting Method: Unthreaded hole
Push in  Mounting Method: Unthreaded hole Features Provided:
Push in  Mounting Method: Unthreaded hole  Features Provided: Transformer
Push in  Mounting Method: Unthreaded hole Features Provided: Transformer Lamp Type Accommodated And Quantity: 2 incandescent
Push in  Mounting Method: Unthreaded hole  Features Provided: Transformer  Lamp Type Accommodated And Quantity: 2 incandescent  Lens Type:
Push in  Mounting Method: Unthreaded hole  Features Provided: Transformer  Lamp Type Accommodated And Quantity: 2 incandescent  Lens Type: Flat, rectangular single light 1st position horizontal
Push in  Mounting Method: Unthreaded hole  Features Provided: Transformer  Lamp Type Accommodated And Quantity: 2 incandescent  Lens Type: Flat, rectangular single light 1st position horizontal  Lens Light Transmission Characteristic:
Push in  Mounting Method: Unthreaded hole  Features Provided: Transformer  Lamp Type Accommodated And Quantity: 2 incandescent  Lens Type: Flat, rectangular single light 1st position horizontal  Lens Light Transmission Characteristic: Translucent single light 1st position horizontal
Push in  Mounting Method: Unthreaded hole  Features Provided: Transformer  Lamp Type Accommodated And Quantity: 2 incandescent  Lens Type: Flat, rectangular single light 1st position horizontal  Lens Light Transmission Characteristic: Translucent single light 1st position horizontal  Lens Legend:
Push in  Mounting Method: Unthreaded hole  Features Provided: Transformer  Lamp Type Accommodated And Quantity: 2 incandescent  Lens Type: Flat, rectangular single light 1st position horizontal  Lens Light Transmission Characteristic: Translucent single light 1st position horizontal  Lens Legend: Aop running single light 1st position horizontal full display division a
Push in  Mounting Method: Unthreaded hole  Features Provided: Transformer  Lamp Type Accommodated And Quantity: 2 incandescent  Lens Type: Flat, rectangular single light 1st position horizontal  Lens Light Transmission Characteristic: Translucent single light 1st position horizontal  Lens Legend: Aop running single light 1st position horizontal full display division a  Transmitted Light Color:
Push in  Mounting Method: Unthreaded hole  Features Provided: Transformer  Lamp Type Accommodated And Quantity: 2 incandescent  Lens Type: Flat, rectangular single light 1st position horizontal  Lens Light Transmission Characteristic: Translucent single light 1st position horizontal  Lens Legend: Aop running single light 1st position horizontal full display division a
Push in  Mounting Method: Unthreaded hole  Features Provided: Transformer  Lamp Type Accommodated And Quantity: 2 incandescent  Lens Type: Flat, rectangular single light 1st position horizontal  Lens Light Transmission Characteristic: Translucent single light 1st position horizontal  Lens Legend: Aop running single light 1st position horizontal full display division a  Transmitted Light Color: Green single light 1st position horizontal full display division a  Lens Back Surface Condition:
Push in  Mounting Method: Unthreaded hole  Features Provided: Transformer  Lamp Type Accommodated And Quantity: 2 incandescent  Lens Type: Flat, rectangular single light 1st position horizontal  Lens Light Transmission Characteristic: Translucent single light 1st position horizontal  Lens Legend: Aop running single light 1st position horizontal full display division a  Transmitted Light Color: Green single light 1st position horizontal full display division a  Lens Back Surface Condition: Smooth single light 1st position horizontal
Push in  Mounting Method: Unthreaded hole  Features Provided: Transformer  Lamp Type Accommodated And Quantity: 2 incandescent  Lens Type: Flat, rectangular single light 1st position horizontal  Lens Light Transmission Characteristic: Translucent single light 1st position horizontal  Lens Legend: Aop running single light 1st position horizontal full display division a  Transmitted Light Color: Green single light 1st position horizontal full display division a  Lens Back Surface Condition:

Light indicating

## NSN 6210-01-529-7684

Indicator Light - Page 2 of 2



Special Features:
117v, 60hz.
Material:
Plastic polycarbonate lens
Style Designator:
Rectangular frame type
Furnished Items And Quantity:
10 flat washer and 8 screw and 1 gasket
Terminal Type And Quantity:
2 screw
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A065a0