## NSN 6220-01-272-1763

Indicator Light - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6220-01-272-1763

Hazardous Locations/environmental Protection:
Corrosion resistant
Overall Length:
1.875 inches
Overall Height:
1.344 inches
Overall Width:
1.000 inches
Lamp Base Type Accommodated:
Miniature bayonet
Lamp Bulb Size Designator:
T-3 1/4
Lens Quantity:
1
Lens Color:
Red single light 1st position horizontal
Lamp Industry Number:
1815
Lens Mounting Method:
Push in
Mounting Method:
Mounting Method.
Screw
_
Screw
Screw  Lamp Type Accommodated And Quantity:
Screw  Lamp Type Accommodated And Quantity:  1 incandescent
Screw  Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:
Screw  Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Cylindrical single light 1st position horizontal
Screw  Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Cylindrical single light 1st position horizontal  Lens Light Transmission Characteristic:
Screw  Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Cylindrical single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal
Screw  Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Cylindrical single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:
Screw  Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Cylindrical single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a
Screw  Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Cylindrical single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:
Screw  Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Cylindrical single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal
Screw  Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Cylindrical single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:
Screw  Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Cylindrical single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Cylindrical single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type: Cylindrical single light 1st position horizontal  Lens Light Transmission Characteristic: Translucent single light 1st position horizontal  Transmitted Light Color: Red single light 1st position horizontal full display division a  Lens Back Surface Condition: Smooth single light 1st position horizontal  Lens Face Surface Condition: Smooth single light 1st position horizontal  Material: Steel body
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type:  Cylindrical single light 1st position horizontal  Lens Light Transmission Characteristic:  Translucent single light 1st position horizontal  Transmitted Light Color:  Red single light 1st position horizontal full display division a  Lens Back Surface Condition:  Smooth single light 1st position horizontal  Lens Face Surface Condition:  Smooth single light 1st position horizontal  Material:  Steel body  Style Designator:
Lamp Type Accommodated And Quantity:  1 incandescent  Lens Type: Cylindrical single light 1st position horizontal  Lens Light Transmission Characteristic: Translucent single light 1st position horizontal  Transmitted Light Color: Red single light 1st position horizontal full display division a  Lens Back Surface Condition: Smooth single light 1st position horizontal  Lens Face Surface Condition: Smooth single light 1st position horizontal  Material: Steel body  Style Designator: Rectangular frame type

1 wire lead

## NSN 6220-01-272-1763

Indicator Light - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A065a0