

View Online at <https://aerobasegroup.com/nsn/6220-01-363-0466>

**Hazardous Locations/environmental Protection:**

Cold resistant and drip proof and dust resistant and electromagnetic radiation suppressive and heat resistant and moisture resistant and radio frequency interference and salt spray resistant and shock resistant and vibration resistant

**Overall Height:**

0.750 inches

**Overall Width:**

0.750 inches

**Lamp Base Type Accommodated:**

Submidget flanged

**Lamp Bulb Size Designator:**

T-1

**Lens Quantity:**

1

**Lens Color:**

White, translucent single light 1st position horizontal

**Multilamp Circuit Type:**

Four lamp common

**Lamp Industry Number:**

718

**End Application:**

Ship, ohio class ssn (trident)

**Lens Mounting Method:**

Push in

**Mounting Method:**

Panel

**Panel Accommodation Hole Width:**

Between 0.687 inches and 0.695 inches

**Lamp Type Accommodated And Quantity:**

4 incandescent

**Lens Type:**

Display screen single light 1st position horizontal

**Panel Accommodation Hole Height:**

Between 0.687 inches and 0.695 inches

**Lens Light Transmission Characteristic:**

Translucent single light 1st position horizontal

**Lens Legend:**

115 vac; power; avail single light 1st position horizontal full display division a

**Transmitted Light Color:**

White, translucent single light 1st position horizontal full display division a

**Lens Back Surface Condition:**

Smooth single light 1st position horizontal

**Lens Face Surface Condition:**

Smooth single light 1st position horizontal

**Extra Long Reference Number:**

92414121-4444 (115 vac; power: avail)

**Material:**

Aluminum alloy body

**Style Designator:**

Rectangular frame type

**Furnished Items And Quantity:**

1 mounting sleeve

**Terminal Type And Quantity:**

6 solder stud

**Reference Number Differentiating Characteristics:**

As differentiated by extra long reference number

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A065a0