## NSN 6250-01-355-2263

Lamp Ballast - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6250-01-355-2263

<b>-</b> 1.10 //
Terminal Quantity:
6
Terminal Type:
Wire lead
Overall Length:
2.625 inches
Overall Height:
2.188 inches
Overall Width:
2.312 inches
Mounting Hole Quantity:
4
Current Type:
Ac
Frequency Rating:
60.0 hertz
Center To Center Distance Between Mounting Holes Along Length:
2.188 inches
Mounting Method:
Holes
Lamp Accommodation Quantity:
1
1  Lamp Wattage Rating In Watts:
Lamp Wattage Rating In Watts:
Lamp Wattage Rating In Watts: 50.0
Lamp Wattage Rating In Watts: 50.0 Current Rating In Amps:
Lamp Wattage Rating In Watts: 50.0  Current Rating In Amps: 0.570
Lamp Wattage Rating In Watts: 50.0  Current Rating In Amps: 0.570  Voltage Rating:
Lamp Wattage Rating In Watts: 50.0  Current Rating In Amps: 0.570  Voltage Rating: 120.0 pounds per hour wet
Lamp Wattage Rating In Watts: 50.0  Current Rating In Amps: 0.570  Voltage Rating: 120.0 pounds per hour wet  Power Factor Characteristic:
Lamp Wattage Rating In Watts: 50.0  Current Rating In Amps: 0.570  Voltage Rating: 120.0 pounds per hour wet  Power Factor Characteristic: High
Lamp Wattage Rating In Watts: 50.0  Current Rating In Amps: 0.570  Voltage Rating: 120.0 pounds per hour wet  Power Factor Characteristic:  High  Starting Characteristic:
Lamp Wattage Rating In Watts: 50.0  Current Rating In Amps: 0.570  Voltage Rating: 120.0 pounds per hour wet  Power Factor Characteristic:  High  Starting Characteristic:  Preheat
Lamp Wattage Rating In Watts: 50.0  Current Rating In Amps: 0.570  Voltage Rating: 120.0 pounds per hour wet  Power Factor Characteristic: High  Starting Characteristic: Preheat  Starter:
Lamp Wattage Rating In Watts: 50.0  Current Rating In Amps: 0.570  Voltage Rating: 120.0 pounds per hour wet  Power Factor Characteristic: High  Starting Characteristic: Preheat  Starter: Not required
Lamp Wattage Rating In Watts: 50.0  Current Rating In Amps: 0.570  Voltage Rating: 120.0 pounds per hour wet  Power Factor Characteristic: High  Starting Characteristic: Preheat  Starter: Not required  Terminal Location And Quantity:
Lamp Wattage Rating In Watts:  50.0  Current Rating In Amps: 0.570  Voltage Rating: 120.0 pounds per hour wet  Power Factor Characteristic: High  Starting Characteristic: Preheat  Starter: Not required  Terminal Location And Quantity: 6 one end
Lamp Wattage Rating In Watts: 50.0  Current Rating In Amps: 0.570  Voltage Rating: 120.0 pounds per hour wet  Power Factor Characteristic: High  Starting Characteristic: Preheat  Starter: Not required  Terminal Location And Quantity: 6 one end  Bulb Designator:
Lamp Wattage Rating In Watts: 50.0  Current Rating In Amps: 0.570  Voltage Rating: 120.0 pounds per hour wet  Power Factor Characteristic: High  Starting Characteristic: Preheat  Starter: Not required  Terminal Location And Quantity: 6 one end  Bulb Designator: S-104

Used w/high pressure sodium lamps; includes core and coil; ignitor and dry film capacitor

## NSN 6250-01-355-2263

Lamp Ballast - Page 2 of 2



-			 
٠.	hΔ	Iŧ.	ife:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

T316-c