NSN 6350-00-548-0005 Electrical Bell - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6350-00-548-0005
Overall Height:
5.500 inches
Mounting Hole Diameter:
0.406 inches
Center To Center Distance Between Mounting Holes:
6.875 inches
Mounting Hole Quantity:
3
Current Type:
Ac
Frequency Rating:
60.0 hertz
Overall Diameter:
7.688 inches
Mounting Method:
Hole
End Application:
Cvn 68 class reactor fill auxiliary system; spruance class d (963); boilers, 1200 psi; los angeles class ssn (688); gun, 5-in./54 cal, mk-42
& 45; close in weapon system (ciws-phalanx); stream (std. Tensioned replenishment at sea method); elevators, cargo/weapons;
ticonderoga class cg (47); submarine communications and antenna systems
Inclosure:
Included
Design Type:
Cow gong
Sound Chamber Type:
Gong
Sound Chamberlength:
5.828 inches
Sound Chamberwidth:
4.969 inches
Sound Chamberheight:
2.328 inches
Tone Adjustability:
Nonadjustable
Voltage In Volts And Current Type:
115.0 ac
Voltage In Volts:
115.0
Material:
Brass
Material:

Copper alloy Quantity:

NSN 6350-00-548-0005

Electrical Bell - Page 2 of 2



	Surf	ace T	reat	men	t:
Surface Treatment:	Cirre	aca T	rani	mani	٠.
	Juli	ace i	I Cal	men	ι.

Paint

Surface Treatment:

Painted

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T104-c