

View Online at <https://aerobasegroup.com/nsn/6350-01-469-9056>

**Alternating Current Rating In Amps:**

30.0

**Ac Voltage Rating:**

Between 100.0 volts and 240.0 volts

**Frequency Rating:**

Between 50.0 hertz and 60.0 hertz

**Electrical Power Source Relationship:**

Operating

**Specific Usage Design:**

Senses ambient air temperature and precipitation for deicing and snow melting applications

**Design Type:**

Nontripod mounting

**Unpackaged Unit Weight:**

2.000 pounds

**Media Detected:**

Ice

**Special Features:**

dimensions are 4.750 in. By 7.000 in. By 2.750 in. ; operating temperature is minus 40.0 to plus 185.0 deg. F; supply power is field selectable, 100.0 to 120.0 vac and 200.0 to 240.0 vac at 15 watts peak power consumption; field selectable trigger temperature from 34.0 to 44.0 deg. F; load contact capacity is 30.0 amps at 277.0 vac with 100, 000 operations at full load; monitor contact capacity is 24 vdc/vac, 400.0 milliamps, 10.0 watts total; unit is housed in two gang ul/csa approved pvc enclosure with nema4/ip 66 rating; environmentally sealed front panel control switch allows selection of manual, automatic, and standby/reset options; electronics are accessed by removing four front cover screws; unit may be mounted by attaching mounting hub to rigid 0.500 in. Or 0.750 in. Dia. Conduit, or by installing screws through four mounting tabs provided

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T394-a