NSN 6350-01-516-1952

Signal Horn - Page 1 of 2





Terminal Quantity:

3

Terminal Type:

Screw

Hole Diameter:

0.250 inches

Mounting Type:

Flange projector pedestal

Overall Length:

4.086 inches

Overall Height:

2.142 inches

Overall Width:

4.086 inches

Current Type:

Dc

Mounting Hole/stud Quantity:

4

Operating Tempurature Range:

-31.0/+150.0 degrees fahrenheit

End Application:

Panel remote; w/s: virginia class submarine, ssn-774

Housing Material:

Plastic

Internal Battery Accommodation:

Not included

Current Rating In Amps:

0.1

Operation Method:

Electrical

Loudness Level In Decibels:

110+ db at 5 ft

Sound Projector Quantity:

1

Mounting Bracket:

Provided

Sound Unit Type:

Multiple

Individual Encasement Feature:

Not included

Projector Type:

Straight

NSN 6350-01-516-1952

Signal Horn - Page 2 of 2



Projector Quantity:

1

Sound Signal Direction Quantity:

1

Voltage In Volts:

12.0

Special Features:

Has two user selectable alert sounds, continuous or temporal code 3 pattern; has three user selectable sound level outputs, normal, high,

and very high

Frequency In Hertz:

60.0

Quantity:

2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T104-e