

View Online at <https://aerobasegroup.com/nsn/6525-01-130-4930>

Drive Type:

Motor

Accessory Components And Quantity:

Adjustable non-skid footrest 1; compression-immobilization device 1; head clamp 1; patient grasp handles 1 pr; skidproof patient step 1; should rest 1; urological knee crutches 1 pr

Design Type:

Stationary

Tube Quantity:

2

Tube Type:

Double focus, rotating anode fluoroscopic and double focus, rotating anode radiographic

Table Type:

Tilting

Rectification Type:

Full-wave

Tube Cooling Method:

Air

Tube Mounting Type:

Table and tube stand

Tube Stand Mounting Type:

Floor

Err Default:

Err default

Err Default:

Err default

Transformer Rectification Method:

Self-rectifying

Transformer Output Capacity:

To 300 ma at 150 kv peak

Product Name:

X-ray apparatus: high capacity radiographic and fluroscopic

Voltage In Volts:

190.0 and 270.0

Phase:

Single

Special Features:

40000 watt; automatic collimator; bucky diaphragm; spot film device; 24 by 24 cm front-end loading device; solid state

Frequency In Hertz:

50.0 or 60.0

Supplementary Features:

Use w/image intensifier; overhead tube mount; vertical cassette holder; for use in field assembly only

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T140-c