NSN 6525-01-312-6411

Radiographic And Fluoroscopic X-ray Apparatus - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6525-01-312-6411

Drive Type:

Motor

Accessory Components And Quantity:

Adj non-skid footrest-1; compression-immobilizing device-1; head clamp-1; patient grasp handles-1pr; skidproof patient step-1; shoulder rest-1

Design Type:

Stationary

Tube Quantity:

2

Electric Power Rating:

45000.0 watts

Table Type:

Tilting

Rectification Type:

Full-wave

Tube Cooling Method:

Air

Tube Mounting Type:

Table and tube stand

Tube Stand Mounting Type:

Floor to ceiling

Err Default:

Err default

Err Default:

Err default

Transformer Rectification Method:

Self-rectifying

Transformer Output Capacity:

To 300 ma at 150 kv peak

Product Name:

X-ray apparatus: high capacity radiographic and fluroscopic

Voltage In Volts:

190.05 and 270.0

Phase:

Single

Special Features:

50/60 hz, ac; w/rotating anode; designed for use w/image intensifier; c/o solid state control unit, transformer w/solid state recitifiers; 45 ft radiographic and 25 ft fluoroscopic high voltage cables; collimator, 24 by 24 cm front end-loading, spot-film device; bucky diaphragm, floor-to ceiling floor mt, and vert cassette holder

Shelf Life:

N/a

Unit Of Measure:

- --
- Demilitarization:
 - -

NSN 6525-01-312-6411 Radiographic And Fluoroscopic X-ray Apparatus - Page 2 of 2

Fiig: T140-c

