Induction Compass Transmitter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6605-00-580-9822

| Overall Length: |
|---|
| 9.750 inches |
| Overall Height: |
| 5.531 inches |
| Overall Width: |
| 6.625 inches |
| Shock Mount: |
| Provided |
| Electrical Connection Quantity: |
| 1 |
| Electrical Connection Controlling Agency: |
| Scintilla magneto, div of bendix aviation corp |
| Electrical Connection Identifying Number: |
| Part no. 10-41220-27p |
| Electrical Connection Controlling Agency Address: |
| Sidney, ny |
| Connector Mating Method: |
| External |
| Mounting Method: |
| Stud |
| Heeling Correctors: |
| Provided |
| Stabilizing Feature: |
| Included |
| Direction Sensing Element Type: |
| Fluxgate |
| Transmitting Coil Voltage In Volts: |
| 1.5 |
| Transmitting Coil Frequency In Hertz: |
| 487.5 |
| Gyro Current Type: |
| Ac |
| Gyro Voltage In Volts: |
| 26.0 |
| Gyro Frequency In Hertz: |
| 400.0 |
| Electrical Connection Cable Watertight Gland: |
| Not furnished |
| Connector Prong Quantity: |
| 14 |
| Quadrantal Spheres: |
| Not included |

Induction Compass Transmitter - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

T261-h