NSN 6610-00-960-7863

Vertical Velocity Indicator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6610-00-960-7863

Letters nonluminous and	lined increments nonluminous and	major graduation nonluminous and	minor graduation nonluminous and
numerals nonluminous			
Width:			

Scale Marking And Surface Finish:
Letters nonluminous and lined increments nonluminous and major graduation
numerals nonluminous
Width:
3.260 inches
Current Type:
Ac
Ac Voltage Rating:
5.0 volts
Depth:
6.460 inches
Contact Quantity:
5
Usage Design:
Repeater
Presentation Type:
Dial
Electrical Connection Quantity:
1
Electrical Connection Identifying Number:
Type no. Ms24265r10b-5p
Pointer Finish:
Nonluminous single pointer
Mechanical Connection Quantity:
1
Mechanical Connection Size:
1/2"-20unf-3b
Mechanical Connection Type:
Internal thread
Pointer Purpose:
Indicates direction (climb/descent) & rate of climb/descent
Pointer Type:
Indicating single pointer
Mounting Facility Type And Quantity:
1 bezel
Case Material:
Aluminum
Product Name:
Inertial lead vertical speed indicator, & ivsi
Phase:

Single

Height:

3.260 inches

NSN 6610-00-960-7863

Fiig: A532c0

Vertical Velocity Indicator - Page 2 of 2



Color:
White pointer
Supplementary Features:
Range is -6000 to +6000 ft per min (apsk2aajhtm00.0/p6000.0)
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No