

View Online at <https://aerobasegroup.com/nsn/6610-01-552-8582>

**Width:**

Between 3.240 inches and 3.260 inches

**Length:**

Between 5.504 inches and 5.688 inches

**Current Type:**

Dc

**Dc Voltage Rating:**

5.0 volts

**Contact Quantity:**

3

**End Application:**

Th-1h modification

**Usage Design:**

Vertical speed

**Presentation Type:**

Dial

**Electrical Connection Quantity:**

1

**Electrical Connection Identifying Number:**

Deutsch dm-5600-3p per ms 3134h3-50p or equivalent

**Mechanical Connection Quantity:**

1

**Mechanical Connection Size:**

Static port .5625-18 unjf-3b per ms 33649-06

**Mechanical Connection Type:**

Tube w/fittings

**Knob Quantity:**

1

**Pointer Purpose:**

Indicate speed of climb and descent

**Pointer Type:**

Indicating single pointer

**Mounting Facility Type And Quantity:**

1 panel

**Special Features:**

Dial markings and portion of pointer will be white number 37875 of fed-std-595, background of dial and other portion of pointer will be black number 37038 of fed-std-595, indicator will be integrally lighted 5 volts dc nvg green, range of 0 to 3, 000 feet per minute, 15 indicating lines for climb; 15 indicating lines for descent, surface bonding preparation per mil-c-5541; class 3, bell helicopter part number is 212-070-239-103, manufacturer nomenclature: indicator, vertical velocity, rapid response, acceleration sensitive

**Height:**

Between 3.240 inches and 3.260 inches

**Shelf Life:**

N/a

**Unit Of Measure:**

**Demilitarization:**

Yes - demil/mli

**Fig:**

A532c0