

View Online at <https://aerobasegroup.com/nsn/6620-00-003-9771>

**Diameter:**

2.000 inches

**Length:**

7.312 inches

**Current Type:**

Ac

**Ac Voltage Rating:**

115.0 volts

**Frequency Rating:**

400.0 hertz

**Contact Quantity:**

10

**End Application:**

Pilot/copilot forward panel p/n 458-50046-508 or -513, kc-135 acft; ref tech order 1c-13 (k) r-4-4

**Contact Type:**

Pin

**Presentation Type:**

Dial

**Scale Range:**

+0.0/+15000.0 pounds per hour single indicator single scale

**Individual Marking:**

Fuel flow; pph x1000

**Electrical Connection Quantity:**

1

**Electrical Connection Identifying Number:**

Ms3113h12&10p

**Mounting Facility Type And Quantity:**

1 panel

**Product Name:**

Fuel flow indicator

**Dial Outside Diameter:**

1.812 inches

**Phase:**

Single

**Special Features:**

Case per ms33639; dial background translucent dull black pain; dial markings white paint; lighting 5 volt per mil-I-27160; window glass has anti-reflective coating per mil-c-14806; hermetically sealed connector for plug type ms3126-e-12-10s; weight 1.2 lbs; includes receptacle key

**Supplementary Features:**

Integral white lighting

**Fsc Application Data:**

Engine instrument, aircraft

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A534d0