## NSN 6625-00-005-5741

Sweep Generator - Page 1 of 2

**Vibration Resistance Range In Hertz:** 

Overall Length: 18.870 inches Overall Height: 9.500 inches Overall Width: 10.000 inches



View Online at https://aerobasegroup.com/nsn/6625-00-005-5741

+9.0 to 100.0
Vibration Resistance Amplitude:
1.0 gravitational units
Shock Resistance Rating In Gravitational Units:
20.0
Operating Tempurature Range:
+0.0 to 55.0 degrees celsius
Average Life Rating:
30000.0
Average Life Measurement:
Hours
Basic Shape Style:
Rectangular or square
Maximum Operating Altitude Rating:
10000.0 feet
Inclosure Type:
Encased
Operating Control Method:
Manual
Installation Design:
Portable
Control Type:
Local
Circuit Construction Type:
Solid state
Signal Data Type Per Channel:
Output channel sweep
Maximum Continuous Operating Time In Hours:
1000.0
Shock Pulse Duration Time:
1.0 milliseconds
Connection Type And Location:
Receptacle, coaxial front and receptacle, power rear and receptacle, coaxial rear
Operating Ac Frequency In Hertz:
50.0 single voltage and 420.0 single voltage

## NSN 6625-00-005-5741

Sweep Generator - Page 2 of 2



Connection Contact Type And Quantity	Connection	Contact	Type	And	Quantity
--------------------------------------	------------	---------	------	-----	----------

3 receptacle, power external and 1 receptacle, coaxial internal

**External Ac Operating Voltage In Volts:** 

115.0 single voltage

Phase:

Single

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200