

View Online at <https://aerobasegroup.com/nsn/6625-00-008-6787>

**Circuit Current For Which Designed:**

Dc

**Dielectric Withstanding Voltage In Volts:**

3000.0

**Overall Length:**

1.990 inches

**Overall Height:**

2.500 inches

**Overall Width:**

2.690 inches

**Mounting Hole Diameter:**

0.125 inches

**Scale Division Quantity:**

17 single indicator single range

**Environmental Protection:**

Dustproof

**Distance Between Mounting Facility Centers:**

2.110 inches

**Furnished Items And Quantity:**

Nut 8; lockwasher 5; seal 1

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Panel

**Mounting Arrangement Style:**

Two hole/stud

**Dial Scale Marking Color:**

Black single indicator single range

**Accuracy In Percent:**

-2.0 to 2.0 at full scale single indicator single range

**Unable To Decode:**

Unable to decode or unable to decode

**Meter Depth Behind Mounting Flange:**

0.930 inches

**Meter Body Diameter Behind Mounting Flange:**

1.450 inches

**Movement Type:**

Electrostatic

**Background Color:**

White single indicator single range

**Pointer Color:**

Black single indicator single range

**Power Source:**

External

**Mounting Facility Type And Quantity:**

2 unthreaded hole

**Scale Graduation Type:**

Linear single indicator single range

**Measurement Range:**

-24.0 to 6.0 decibels single indicator single range

**Features Provided:**

Magnetic shield and zero adjuster

**Circuit Attachment Method And Quantity:**

3 threaded stud

**Special Features:**

Ruggedized

**Special Markings:**

Green band from minus 6 to plus 5, red band from plus 5 to plus 6

**Material:**

Plastic

**Nuclear Hardness Critical Feature:**

Nonhardened

**Surface Treatment:**

Enamel lusterless

**Style Designator:**

Rectangular flush mtg

**Fsc Application Data:**

Test set electronic

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A310a0