

View Online at <https://aerobasegroup.com/nsn/6625-00-021-6967>

**Circuit Current For Which Designed:**

Dc

**Dielectric Withstanding Voltage In Volts:**

1500.0

**Overall Length:**

1.310 inches

**Scale Division Quantity:**

20 single indicator single range

**Overall Diameter:**

1.688 inches

**Environmental Protection:**

Cold resistant and heat resistant and watertight

**Furnished Items And Quantity:**

O ring 1

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Panel

**Sensitivity Rating:**

1.0 milliamperes

**Dial Scale Marking Color:**

Black single indicator single range

**Accuracy In Percent:**

-3.0 to 3.0 at full scale single indicator single range

**Meter Depth Behind Mounting Flange:**

0.765 inches

**Meter Body Diameter Behind Mounting Flange:**

1.500 inches

**Movement Type:**

Moving coil, permanent magnet

**Background Color:**

White single indicator single range

**Pointer Color:**

Black single indicator single range

**Scale Marking:**

Pa set; dr set; nom; line

**Mounting Facility Type And Quantity:**

1 threaded body and 1 threaded ring

**Scale Graduation Type:**

Linear single indicator single range

**Features Provided:**

Zero adjuster

**Movement Suspension Method:**

Jewel pivot base

**Circuit Attachment Method And Quantity:**

2 solder lug

**Special Features:**

250 mv maximum power consumption

**Special Markings:**

Black band from 0.575 to 0.775 ma deflection

**Material:**

Aluminum

**Nuclear Hardness Critical Feature:**

Nonhardened

**Surface Treatment:**

Anodize

**Special Test Features:**

Conforms w/mil-m-17275

**Style Designator:**

Round flush mtg

**Supplementary Features:**

100 ohms term. Res

**Fsc Application Data:**

Test set, elect. Equip.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A310a0