# NSN 6625-00-027-8582

Ammeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-027-8582

Circuit Current For Which Designed:

Dc

#### **Overall Length:**

1.382 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.312 inches

### Center To Center Distance Between Mounting Facilities Parallel To Width:

1.312 inches

#### **Overall Height:**

1.750 inches

#### **Overall Width:**

1.750 inches

#### Mounting Hole Diameter:

0.125 inches

#### Scale Division Quantity:

25 single indicator single range

#### Indicator Type:

Dial w/pointer

#### Installation Design:

Panel

#### Mounting Arrangement Style:

Four hole/stud rectangular/square

#### Sensitivity Rating:

17.0 millivolts

#### Dial Scale Marking Color:

Black single indicator single range

#### Accuracy In Percent:

-3.0/+3.0 at full scale single indicator single range

#### Panel For Which Designed:

Nonmagnetic

# Meter Depth Behind Mounting Flange:

1.084 inches

# Meter Body Diameter Behind Mounting Flange:

1.500 inches

# Movement Type:

Moving coil, permanent magnet

# Background Color:

White single indicator single range

## Pointer Color:

Black single indicator single range

### Power Source:

External

# NSN 6625-00-027-8582

Ammeter - Page 2 of 2



Mounting Facility Type And Quantity: 4 unthreaded hole Scale Graduation Type: Linear single indicator single range **Measurement Range:** +0.0 to 1.0 milliamperes, dc single indicator single range **Features Provided:** Zero adjuster **Movement Suspension Method:** Jewel pivot base **Circuit Attachment Method And Quantity:** 2 solder lug **Nuclear Hardness Critical Feature:** Nonhardened Style Designator: Rectangular flush mtg **Fsc Application Data:** Test set, elect. Equip. Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig:

#### 1010-

A310a0