

View Online at <https://aerobasegroup.com/nsn/6625-00-030-6815>

Circuit Current For Which Designed:

Ac

Overall Length:

10.200 inches

Overall Height:

6.100 inches

Overall Width:

7.800 inches

Scale Division Quantity:

60 single indicator all ranges

Frequency Rating:

Between 60.0 hertz and 400.0 hertz

Indicator Type:

Dial w/pointer

Installation Design:

Bench

Frequency Response Range:

+50.000 to 420.000 hertz

Sensitivity Rating:

100.0 microamperes

Dial Scale Marking Color:

Black single indicator all ranges

Accuracy In Percent:

-1.0 to 1.0 at full scale single indicator all ranges

Movement Type:

Moving coil, permanent magnet

Background Color:

White single indicator all ranges

Pointer Color:

Black single indicator all ranges

Power Source:

External

Scale Graduation Type:

Linear single indicator all ranges

Measurement Range:

+0.0 to 300.0 millivolts, ac single indicator 3rd range

Scale Selection Method:

Switch

Features Provided:

Electrical overload protection and portable and zero adjuster

Movement Suspension Method:

Jewel pivot base

Circuit Attachment Method And Quantity:

2 binding post and 1 connector, receptacle and 1 phone jack

Phase:

Single

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Rectangular or square

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A310a0