## NSN 6625-00-034-5064

Special Scale Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-034-5064

Circuit C	urrent For	Which	Designed:
-----------	------------	-------	-----------

Dc

**Dielectric Withstanding Voltage In Volts:** 

3000.0

**Overall Length:** 

2.650 inches

**Mounting Hole Diameter:** 

Between 0.120 inches and 0.130 inches

**Overall Diameter:** 

2.695 inches

**Environmental Protection:** 

Shock resistant and vibration resistant

**Mounting Bolt Circle Diameter:** 

2.440 inches

**Furnished Items And Quantity:** 

Nut 7; lockwasher 5; seal 1

**Indicator Type:** 

Dial w/pointer

**Installation Design:** 

Panel

**Mounting Arrangement Style:** 

Three hole/stud bolt circle

**Sensitivity Rating:** 

1.0 milliamperes

**Dial Scale Marking Color:** 

Green single indicator all ranges and red single indicator all ranges

**Accuracy In Percent:** 

-2.0 to 2.0 at full scale single indicator all ranges

Panel For Which Designed:

Magnetic or nonmagnetic

**Meter Depth Behind Mounting Flange:** 

1.600 inches

**Meter Body Diameter Behind Mounting Flange:** 

2.210 inches

**Movement Type:** 

Moving coil, permanent magnet

**Background Color:** 

White single indicator all ranges

**Pointer Color:** 

Black single indicator all ranges

Scale Marking:

Circuit safe; safe volts; ck; cal with extended line; two green and red bands

## **NSN 6625-00-034-5064** Special Scale Meter - Page 2 of 2



Mounting Facility Type And Quantity:
3 screw and 3 unthreaded hole
Scale Graduation Type:
Nonlinear single indicator all ranges
Features Provided:
Magnetic shield and zero adjuster
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 solder lug and 2 threaded stud
Special Features:
Ruggedized
Special Markings:
Circuit safe scale, red bar from I to r 0.0 to 0.50 green bar from I to r 0.50 to 1.0 ma deflection; safe volts, green bar from 0.0 to 0.10, red bar
from 0.10 to 1.0 ma deflection; ck at 0.44 to 0.56 ma deflection; extended line at full scale marked cal
Material:
Steel
Nuclear Hardness Critical Feature:
Nonhardened
Surface Treatment:
Chromate and enamel semigloss
Special Test Features:
Complies with mil-m-10304
Style Designator:
Round flush mtg
Fsc Application Data:
Test sets, electronic systems, except specially designed
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A310a0