NSN 6625-00-057-2646

Ammeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-057-2646
Circuit Current For Which Designed:
Ac
Dielectric Withstanding Voltage In Volts:
2300.0
Overall Length:
5.710 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
3.380 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.380 inches
Overall Height:
4.330 inches
Overall Width:
4.330 inches
Scale Division Quantity:
50 single indicator single range
Mounting Stud Length:
0.625 inches
Environmental Protection:
Dust tight and humidity resistant and shock resistant and vibration resistant
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Four hole/stud rectangular/square
Frequency Response Range:
+40.000/+70.000 hertz
Sensitivity Rating:
5.0 amperes
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-1.0 to 1.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
3.790 inches
Meter Body Diameter Behind Mounting Flange:
3.970 inches
Movement Type:
Moving coil, permanent magnet

Background Color:

White single indicator single range

NSN 6625-00-057-2646

Ammeter - Page 2 of 2



Pointer Color:
Black single indicator single range
Mounting Facility Type And Quantity:
4 threaded stud
Scale Graduation Type:
Linear single indicator single range
Measurement Range:
+0.0/+100.0 amperes, ac single indicator single range
Circuit Construction Type:
Nonelectronic
Mounting Stud Diameter:
0.250 inches
Features Provided:
Transformer and zero adjuster
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 threaded stud
Special Features:
Ruggedized
Material:
Plastic and steel
Nuclear Hardness Critical Feature:
Nonhardened
Special Test Features:
Complies with specification ansi c-39.1
Style Designator:
Rectangular flush mtg
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A310a0