## NSN 6625-00-063-4126

Wattmeter - Page 1 of 2

Ac

**Circuit Current For Which Designed:** 



View Online at https://aerobasegroup.com/nsn/6625-00-063-4126

| Mounting Hole Diameter:                                   |
|---|
| 0.150 inches  |
| Scale Division Quantity:                                  |
| 40 single indicator single range                          |
| Overall Diameter:   |
| 3.500 inches  |
| Mounting Bolt Circle Diameter:                            |
| 3.160 inches  |
| Installation Design:                                      |
| Panel   |
| Mounting Arrangement Style:                               |
| Three hole/stud bolt circle                               |
| Dial Scale Marking Color:                                 |
| Black single indicator single range                       |
| Accuracy In Percent:                                      |
| -2.000/+2.000 at full scale single indicator single range |
| Meter Depth Behind Mounting Flange:                       |
| 2.000 inches  |
| Meter Body Diameter Behind Mounting Flange:               |
| 2.800 inches  |
| Background Color:   |
| White single indicator single range                       |
| Mounting Facility Type And Quantity:                      |
| 1 flange and 3 unthreaded hole                            |
| Measurement Range:  |
| +0.0/+80.0 kilowatts single indicator single range        |
| Features Provided:  |
| Rectifier circuit   |
| Circuit Attachment Method And Quantity:                   |
| 2 solder lug  |
| Operating Voltage Rating In Volts:                        |
| Between 100.0 ac and 150.0 ac                             |
| Phase:  |
| Three   |
| Style Designator:   |
| Round flush mtg   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |

--

## NSN 6625-00-063-4126

Wattmeter - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A310a0