## NSN 6625-00-066-6903

Voltmeter - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6625-00-066-6903

Circuit Current For Which Designed:
Dc
Overall Length:
1.350 inches
Scale Division Quantity:
50 single indicator single range
Overall Diameter:
2.940 inches
Distance Between Mounting Facility Centers:
1.400 inches
Installation Design:
Panel
Mounting Arrangement Style:
Two hole/stud
Sensitivity Rating:
200.0 ohms per volt
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator all ranges
Background Color:
Background Color: White single indicator single range
-
White single indicator single range
White single indicator single range  Mounting Facility Type And Quantity:
White single indicator single range  Mounting Facility Type And Quantity:  2 terminal
White single indicator single range  Mounting Facility Type And Quantity:  2 terminal  Measurement Range:
White single indicator single range  Mounting Facility Type And Quantity:  2 terminal  Measurement Range: +100.0/+150.0 volts, dc single indicator single range
White single indicator single range  Mounting Facility Type And Quantity:  2 terminal  Measurement Range: +100.0/+150.0 volts, dc single indicator single range  Circuit Attachment Method And Quantity:
White single indicator single range  Mounting Facility Type And Quantity:  2 terminal  Measurement Range: +100.0/+150.0 volts, dc single indicator single range  Circuit Attachment Method And Quantity:  2 threaded stud
White single indicator single range  Mounting Facility Type And Quantity:  2 terminal  Measurement Range: +100.0/+150.0 volts, dc single indicator single range  Circuit Attachment Method And Quantity:  2 threaded stud  Material:
White single indicator single range  Mounting Facility Type And Quantity:  2 terminal  Measurement Range: +100.0/+150.0 volts, dc single indicator single range  Circuit Attachment Method And Quantity:  2 threaded stud  Material:  Plastic
White single indicator single range  Mounting Facility Type And Quantity:  2 terminal  Measurement Range: +100.0/+150.0 volts, dc single indicator single range  Circuit Attachment Method And Quantity:  2 threaded stud  Material:  Plastic  Style Designator:
White single indicator single range  Mounting Facility Type And Quantity:  2 terminal  Measurement Range: +100.0/+150.0 volts, dc single indicator single range  Circuit Attachment Method And Quantity:  2 threaded stud  Material:  Plastic  Style Designator:  Round surface mtg
White single indicator single range  Mounting Facility Type And Quantity:  2 terminal  Measurement Range: +100.0/+150.0 volts, dc single indicator single range  Circuit Attachment Method And Quantity:  2 threaded stud  Material:  Plastic  Style Designator:  Round surface mtg  Shelf Life:
White single indicator single range  Mounting Facility Type And Quantity:  2 terminal  Measurement Range: +100.0/+150.0 volts, dc single indicator single range  Circuit Attachment Method And Quantity:  2 threaded stud  Material:  Plastic  Style Designator:  Round surface mtg  Shelf Life:  N/a
White single indicator single range  Mounting Facility Type And Quantity:  2 terminal  Measurement Range: +100.0/+150.0 volts, dc single indicator single range  Circuit Attachment Method And Quantity:  2 threaded stud  Material:  Plastic  Style Designator:  Round surface mtg  Shelf Life:  N/a
White single indicator single range  Mounting Facility Type And Quantity:  2 terminal  Measurement Range: +100.0/+150.0 volts, dc single indicator single range  Circuit Attachment Method And Quantity:  2 threaded stud  Material: Plastic  Style Designator: Round surface mtg  Shelf Life: N/a  Unit Of Measure:
White single indicator single range  Mounting Facility Type And Quantity:  2 terminal  Measurement Range: +100.0/+150.0 volts, dc single indicator single range  Circuit Attachment Method And Quantity:  2 threaded stud  Material: Plastic  Style Designator: Round surface mtg  Shelf Life: N/a  Unit Of Measure:  Demilitarization: