

View Online at <https://aerobasegroup.com/nsn/6625-00-066-8520>

Circuit Current For Which Designed:

Ac

Dielectric Withstanding Voltage In Volts:

1000.0

Overall Length:

12.000 inches

Overall Height:

11.750 inches

Overall Width:

7.500 inches

Scale Division Quantity:

5 2nd indicator all ranges

Frequency Rating:

Between 50.000 hertz and 60.000 hertz

Furnished Items And Quantity:

Probe tips 3

Indicator Type:

Dial w/pointer

Installation Design:

Bench

Frequency Response Range:

+0.005/+1.000 gigahertz

Dial Scale Marking Color:

Black single indicator all ranges

Accuracy In Percent:

-3.0/+3.0 at full scale single indicator all ranges

Movement Type:

Moving coil, permanent magnet

Background Color:

White single indicator all ranges

Pointer Color:

Black single indicator all ranges

Power Source:

External

Scale Graduation Type:

Linear single indicator all ranges

Measurement Range:

-12.0/+3.0 decibels single indicator single range

Scale Selection Method:

Switch

Features Provided:

Electrical overload protection and portable

Movement Suspension Method:

Jewel pivot base

Circuit Attachment Method And Quantity:

1 probe, direct contact

Operating Voltage Rating In Volts:

115.0 ac

Interface Compatibility:

IEEE-488

Phase:

Single

Special Features:

7-ranges 0.01, 0.03, 0.01, 0.03, 1.0, 3.0, 10 vrms; galvanometer recorder output

Material:

Plastic

Style Designator:

Rectangular or square

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A310a0