## NSN 6625-00-068-0562

Power Factor Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-068-0562

Circuit Current For Which Designed:
Dc
Overall Length:
1.750 inches
Scale Division Quantity:
25 single indicator single range
Overall Diameter:
2.210 inches
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Dial Scale Marking Color:
White single indicator single range
Accuracy In Percent:
-2.000 to 2.000 at full scale single indicator all ranges
Background Color:
White single indicator single range
Pointer Color:
Black single indicator single range
Mounting Facility Type And Quantity:
3 flange
3 flange Scale Graduation Type:
·
Scale Graduation Type:
Scale Graduation Type:  Nonlinear single indicator single range
Scale Graduation Type:  Nonlinear single indicator single range  Measurement Range:
Scale Graduation Type:  Nonlinear single indicator single range  Measurement Range: +0.0 to 125.0 percent, load single indicator single range
Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0 to 125.0 percent, load single indicator single range Criticality Code Justification:
Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0 to 125.0 percent, load single indicator single range Criticality Code Justification: Nhcf
Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0 to 125.0 percent, load single indicator single range Criticality Code Justification: Nhcf Circuit Attachment Method And Quantity:
Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0 to 125.0 percent, load single indicator single range Criticality Code Justification: Nhcf Circuit Attachment Method And Quantity: 2 screw
Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0 to 125.0 percent, load single indicator single range Criticality Code Justification: Nhcf Circuit Attachment Method And Quantity: 2 screw Operating Voltage Rating In Volts:
Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0 to 125.0 percent, load single indicator single range Criticality Code Justification: Nhcf Circuit Attachment Method And Quantity: 2 screw Operating Voltage Rating In Volts: 125.0 dc
Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0 to 125.0 percent, load single indicator single range Criticality Code Justification: Nhcf Circuit Attachment Method And Quantity: 2 screw Operating Voltage Rating In Volts: 125.0 dc Special Features:
Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0 to 125.0 percent, load single indicator single range Criticality Code Justification: Nhcf Circuit Attachment Method And Quantity: 2 screw Operating Voltage Rating In Volts: 125.0 dc Special Features: Area between 100 and 125 to be red, black scale markings
Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0 to 125.0 percent, load single indicator single range Criticality Code Justification: Nhcf Circuit Attachment Method And Quantity: 2 screw Operating Voltage Rating In Volts: 125.0 dc Special Features: Area between 100 and 125 to be red, black scale markings Material:
Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0 to 125.0 percent, load single indicator single range Criticality Code Justification: Nhcf Circuit Attachment Method And Quantity: 2 screw Operating Voltage Rating In Volts: 125.0 dc Special Features: Area between 100 and 125 to be red, black scale markings Material: Steel
Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0 to 125.0 percent, load single indicator single range Criticality Code Justification: Nhcf Circuit Attachment Method And Quantity: 2 screw Operating Voltage Rating In Volts: 125.0 dc Special Features: Area between 100 and 125 to be red, black scale markings Material: Steel Material Specification:

Style Designator:

Round surface mtg

## NSN 6625-00-068-0562

Power Factor Meter - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A310a0