## NSN 6625-00-080-0075



Electrical Frequency Meter - Page 1 of 3
View Online at https://aerobasegroup.com/nsn/6625-00-080-0075
Circuit Current For Which Designed:
Ac
Dielectric Withstanding Voltage In Volts:
3000.0
Overall Length:
1.830 inches
Mounting Hole Diameter:
0.159 inches
Scale Division Quantity:
50 single indicator single range
Frequency Rating:
60.0 hertz
Overall Diameter:
4.580 inches
Environmental Protection:
Shock resistant and vibration resistant
Mounting Bolt Circle Diameter:
4.125 inches
Furnished Items And Quantity:
Mtg hdw 6; transducer 1
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Six hole/stud bolt circle
Frequency Response Range:

+55.000 to 65.000 hertz

**Sensitivity Rating:** 

200.0 microamperes

**Dial Scale Marking Color:** 

Black single indicator single range

**Accuracy In Percent:** 

-2.0 to 2.0 at full scale single indicator single range

**Unable To Decode:** 

Unable to decode or unable to decode

**Meter Depth Behind Mounting Flange:** 

1.150 inches

**Meter Body Diameter Behind Mounting Flange:** 

3.570 inches

**Movement Type:** 

Moving coil, permanent magnet

## NSN 6625-00-080-0075

Electrical Frequency Meter - Page 2 of 3



Background Color:							
White single indicator single range							
Pointer Color:							
Black single indicator single range							
Power Source:							
External							
Mounting Facility Type And Quantity:							
6 screw and 6 unthreaded hole							
Scale Graduation Type:							
Linear single indicator single range							
Measurement Range:							
+55.0 to 65.0 hertz single indicator single range							
Scale Selection Method:							
Terminal							
Features Provided:							
Zero adjuster							
Movement Suspension Method:							
Jewel pivot base							
Circuit Attachment Method And Quantity:							
2 solder lug							
Operating Voltage Rating In Volts:							
Between 110.0 ac and 130.0 ac							
Phase:							
Single							
Special Features:							
Ruggedized							
Special Markings:							
Cycles per second							
Material:							
Steel							
Nuclear Hardness Critical Feature:							
Nonhardened							
Surface Treatment:							
Enamel							
Special Test Features:							
Conforms to mil-m-10304/17 type mr49w200dcuar							
Style Designator:							
Round flush mtg							
Supplementary Features:							
12.0 volt-amps maximum power comsumption							
12.0 volt-amps maximum power comsumption							

N/a

Shelf Life:

Fsc Application Data: Test set, elect. Equip.

## NSN 6625-00-080-0075

Electrical Frequency Meter - Page 3 of 3



ın	1+	<i>(</i> )+	Measure	•

--

Demilitarization:

No

Fiig:

A310a0