NSN 6625-00-086-0881

Arbitrary Scale Meter - Page 1 of 2

Circuit Current For Which Designed:

Dc

Overall Length: 3.797 inches Overall Height: 0.515 inches Overall Width: 2.578 inches

Scale Division Quantity:

100 single indicator single range

Distance Between Mounting Facility Centers:



View Online at https://aerobasegroup.com/nsn/6625-00-086-0881

| 2.187 inches |
|---|
| Furnished Items And Quantity: |
| Mounting hardware 3 |
| Indicator Type: |
| Dial w/pointer |
| Installation Design: |
| Panel |
| Mounting Arrangement Style: |
| Two hole/stud |
| Dial Scale Marking Color: |
| Black single indicator single range |
| Accuracy In Percent: |
| -2.0 to 2.0 at full scale single indicator single range |
| Unable To Decode: |
| Unable to decode or unable to decode |
| Meter Depth Behind Mounting Flange: |
| 3.360 inches |
| Meter Body Width Behind Mounting Flange: |
| 2.578 inches |
| Movement Type: |
| Moving coil, permanent magnet |
| Background Color: |
| White single indicator single range |
| Pointer Color: |
| Black single indicator single range |
| Mounting Facility Type And Quantity: |
| 1 flange and 2 threaded stud |
| Scale Graduation Type: |
| Linear single indicator single range |
| Mounting Stud Diameter: |
| 0.138 inches |
| |

NSN 6625-00-086-0881

Arbitrary Scale Meter - Page 2 of 2



| Meter Body Height Behind Mounting Flange: |
|---|
| 0.515 inches |
| Features Provided: |
| Magnetic shield and zero adjuster |
| Movement Suspension Method: |
| Jewel pivot base |
| Circuit Attachment Method And Quantity: |
| 2 threaded stud |
| Material: |
| Plastic and steel |
| Nuclear Hardness Critical Feature: |
| Nonhardened |
| Style Designator: |
| Rectangular flush mtg |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A310a0 |