

View Online at <https://aerobasegroup.com/nsn/6625-00-090-6558>

**Overall Length:**

19.750 inches

**Overall Height:**

13.000 inches

**Overall Width:**

18.000 inches

**Vibration Resistance Range In Hertz:**

Not rated

**Shock Resistance Rating In Gravitational Units:**

Not rated

**Operating Temperature Range:**

Not rated

**Average Life Measurement:**

Not rated

**Basic Shape Style:**

Rectangular or square

**Maximum Operating Altitude Rating:**

Not rated

**Inclosure Type:**

Encased

**Operating Control Method:**

Manual

**Installation Design:**

Top of cabinet/counter

**Control Type:**

Local

**Frequency Per Channel:**

Not rated

**Attenuation In Decibels:**

Not rated

**Average Power Rating Per Channel:**

600.0 watts input

**Signal Voltage Rating Per Channel:**

2.100 kilovolts output

**Overall Gain:**

Not rated

**Impedance Rating Per Channel:**

200.000 ohms output channel

**Pulse Duration Per Channel:**

100.000 nanoseconds output channel

**Pulse Rise Time Per Channel:**

30.000 nanoseconds output channel

**Pulse Decay Time Per Channel:**

50.000 nanoseconds output channel

**Polarity Per Channel:**

Negative output channel

**Pulse Repetition Rate Per Channel:**

3.000 pulses per second output channel

**Pulse Peak Amplitude Per Channel:**

Not rated

**Signal Data Type Per Channel:**

Output channel pulse

**Output Wave Shape:**

Pulse, variable width

**Indicator Device Type And Quantity:**

1 meter

**Maximum Continuous Operating Time In Hours:**

Not rated

**Connection Type And Location:**

Receptacle, coaxial front

**Operating Ac Frequency In Hertz:**

60.0 single voltage

**External Ac Operating Voltage In Volts:**

115.0 single voltage

**Phase:**

Single

**Special Features:**

Overload protection w/reset

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A32200