

View Online at <https://aerobasegroup.com/nsn/6625-00-092-8302>

Circuit Current For Which Designed:

Ac

Overall Length:

11.500 inches

Overall Height:

5.125 inches

Overall Width:

6.500 inches

Scale Division Quantity:

1 single indicator single range

Frequency Rating:

Between 50.0 hertz and 400.0 hertz

Furnished Items And Quantity:

Power cable-7.5 ft.; adjustable height stand and diameter support rod for detector

Indicator Type:

Dial w/pointer

Installation Design:

Bench

Dial Scale Marking Color:

Black single indicator single range

Accuracy In Percent:

-5.0/+5.0 at full scale single indicator single range

Background Color:

White single indicator single range

Pointer Color:

Black single indicator single range

Scale Graduation Type:

Linear single indicator single range

Measurement Range:

+3.0/+100000.0 microwatts single indicator single range

Operating Voltage Rating In Volts:

115.0 ac

Special Features:

Consists of hp 8330a radiant flux meter (dimensions given in appl replies) and hp 8334a radiant flux detector: o/a dim. Including stand: 6.25 in. H, 4.75 in. W, 5.0 in. L

Functional Description:

Measurement of radiant power density in the ultraviolet, visible and infrared regions of the electromagnetic spectrums

Style Designator:

Rectangular or square

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A310a0