

View Online at <https://aerobasegroup.com/nsn/6625-00-092-8302>

**Circuit Current For Which Designed:**

Ac

**Overall Length:**

11.500 inches

**Overall Height:**

5.125 inches

**Overall Width:**

6.500 inches

**Scale Division Quantity:**

1 single indicator single range

**Frequency Rating:**

Between 50.0 hertz and 400.0 hertz

**Furnished Items And Quantity:**

Power cable-7.5 ft.; adjustable height stand and diameter support rod for detector

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Bench

**Dial Scale Marking Color:**

Black single indicator single range

**Accuracy In Percent:**

-5.0/+5.0 at full scale single indicator single range

**Background Color:**

White single indicator single range

**Pointer Color:**

Black single indicator single range

**Scale Graduation Type:**

Linear single indicator single range

**Measurement Range:**

+3.0/+100000.0 microwatts single indicator single range

**Operating Voltage Rating In Volts:**

115.0 ac

**Special Features:**

Consists of hp 8330a radiant flux meter (dimensions given in appl replies) and hp 8334a radiant flux detector: o/a dim. Including stand: 6.25 in. H, 4.75 in. W, 5.0 in. L

**Functional Description:**

Measurement of radiant power density in the ultraviolet, visible and infrared regions of the electromagnetic spectrums

**Style Designator:**

Rectangular or square

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A310a0