NSN 6625-00-093-1073

Voltmeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-093-1073

Circuit Correct For Which Decision
Circuit Current For Which Designed:
Dc
Reliability Indicator:
Not established
Overall Length:
2.400 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.240 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.240 inches
Overall Height:
3.250 inches
Overall Width:
3.250 inches
Scale Division Quantity:
20 single indicator single range
Installation Design:
Panel
Mounting Arrangement Style:
Four hole/stud rectangular/square
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator all ranges
Meter Depth Behind Mounting Flange:
1.080 inches
Meter Body Diameter Behind Mounting Flange:
2.730 inches
Movement Type:
Moving iron vane
Background Color:
White single indicator single range
Mounting Facility Type And Quantity:
4 threaded stud
Measurement Range:
+0.0/+150.0 volts, dc single indicator single range
Mounting Stud Diameter:
0.120 inches
Movement Suspension Method:
Taut band

2 threaded stud

Circuit Attachment Method And Quantity:

NSN 6625-00-093-1073

Voltmeter - Page 2 of 2



NЛ	ate	ria	
IVI	ale	110	ı .

Plastic

Style Designator:

Rectangular flush mtg

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A310a0