NSN 6625-00-095-5687

Ammeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-095-5687

| Circuit Current For Which Designed: |
|---|
| Dc |
| Dielectric Withstanding Voltage In Volts: |
| 2000.0 |
| Overall Length: |
| 1.302 inches |
| Overall Height: |
| 2.375 inches |
| Overall Width: |
| 2.375 inches |
| Scale Division Quantity: |
| 50 single indicator single range |
| Environmental Protection: |
| Dust resistant |
| Indicator Type: |
| Dial w/pointer |
| Installation Design: |
| Panel |
| Dial Scale Marking Color: |
| Black single indicator single range |
| Accuracy In Percent: |
| -3.0 to 3.0 at full scale single indicator single range |
| Movement Type: |
| Moving coil, permanent magnet |
| Background Color: |
| White single indicator single range |
| Pointer Color: |
| Black single indicator single range |
| Power Source: |
| External |
| Mounting Facility Type And Quantity: |
| 1 bezel |
| Scale Graduation Type: |
| Linear single indicator single range |
| Measurement Range: |
| +0.0/+10.0 amperes, dc single indicator single range |
| Circuit Construction Type: |
| Nonelectronic |
| Scale Selection Method: |
| Terminal |
| Movement Suspension Method: |
| Jewel pivot base |

NSN 6625-00-095-5687

Ammeter - Page 2 of 2



| Circuit Attachment Method And Quantity: | |
|---|--|
| 2 solder lug | |
| Material: | |
| Aluminum | |
| Nuclear Hardness Critical Feature: | |
| Nonhardened | |
| Style Designator: | |
| Rectangular surface mtg | |
| Shelf Life: | |
| N/a | |
| Unit Of Measure: | |
| | |
| Demilitarization: | |
| No | |
| | |

Fiig: A310a0