NSN 6625-00-113-3278

Ammeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-113-3278

| Circuit Curre | nt For Which | Designed: |
|---------------|--------------|-----------|
|---------------|--------------|-----------|

Ac

Overall Length:

1.500 inches

Scale Division Quantity:

4 single indicator single range

Frequency Rating:

60.0 hertz

Overall Diameter:

2.300 inches

Furnished Items And Quantity:

Clamp 1; nut 4; lockwasher 2

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Frequency Response Range:

+25.000 to 125.000 hertz

Dial Scale Marking Color:

White single indicator single range

Accuracy In Percent:

-2.0 to 2.0 at full scale single indicator single range

Meter Depth Behind Mounting Flange:

1.230 inches

Meter Body Diameter Behind Mounting Flange:

2.060 inches

Movement Type:

Moving coil, permanent magnet

Background Color:

Black single indicator single range

Pointer Color:

White single indicator single range

Power Source:

External

Mounting Facility Type And Quantity:

1 clamp

Scale Graduation Type:

Linear single indicator single range

Measurement Range:

-40.0/+40.0 amperes, ac single indicator single range

Circuit Construction Type:

Nonelectronic

NSN 6625-00-113-3278

Ammeter - Page 2 of 2



| Scale Selection Method: |
|---|
| Terminal |
| Features Provided: |
| Zero adjuster |
| Movement Suspension Method: |
| Jewel pivot base |
| Circuit Attachment Method And Quantity: |
| 2 threaded stud |
| Phase: |
| Single |
| Special Features: |
| Ruggedized |
| Special Markings: |
| Neg sign left end scale; pos sign right end scale |
| Material: |
| Steel |
| Nuclear Hardness Critical Feature: |
| Nonhardened |
| Style Designator: |
| Round flush mtg |
| Fsc Application Data: |
| Test set, elect. Equip. |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A310a0 |