

View Online at <https://aerobasegroup.com/nsn/6625-00-113-6353>

Overall Length:

16.750 inches

Overall Height:

5.250 inches

Overall Width:

13.750 inches

Individual Section Quantity:

2

Average Life Measurement:

Not rated

Basic Shape Style:

Rectangular or square

Inclosure Type:

Encased

Operating Control Method:

Manual

Installation Design:

Free-standing

Control Type:

Local

Circuit Construction Type:

Solid state

Frequency Per Channel:

50.0 megahertz operating channel

Frequency Adjustment Type:

Stepped

Individual Step Frequency:

5.0 hertz and 500.0 hertz and 5.0 kilohertz and 50.0 kilohertz and 500.0 kilohertz and 5.0 megahertz

Pulse Rise Time Per Channel:

5.000 nanoseconds operating channel

Pulse Decay Time Per Channel:

50.000 milliseconds operating channel

Polarity Per Channel:

Positive operating channel

Pulse Repetition Rate Per Channel:

50.000 pulses per second operating channel

Signal Data Type Per Channel:

Operating channel pulse

Output Wave Shape:

Pulse, trigger

Indicator Device Type And Quantity:

6 light

Maximum Continuous Operating Time In Hours:

Not rated

Connection Type And Location:

Receptacle, coaxial front

Operating Ac Frequency In Hertz:

50.0 1st voltage

Connection Contact Type And Quantity:

5 receptacle, coaxial internal

External Ac Operating Voltage In Volts:

230.0 2nd voltage

Phase:

Single

Functional Classification:

Bb-1.1

Entry Date:

91-02-19

Reference Data And Literature:

33a1-8-630-1

Fsc Application Data:

Support of an/ard-18 and an/agm-69 components

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32200