

View Online at <https://aerobasegroup.com/nsn/6625-00-115-1583>

**Overall Length:**

9.500 inches

**Overall Height:**

4.000 inches

**Overall Width:**

8.500 inches

**Environmental Protection:**

Dustproof

**Basic Shape Style:**

Rectangular or square

**Inclosure Type:**

Encased

**Operating Control Method:**

Manual

**Installation Design:**

Portable

**Control Type:**

Local

**Circuit Construction Type:**

Solid state

**Frequency Per Channel:**

20.0 megahertz operating channel err-100

**Frequency Adjustment Type:**

Stepped

**Individual Step Frequency:**

10.0 hertz and 1.0 kilohertz and 10.0 kilohertz and 100.0 kilohertz and 1.0 megahertz and 10.0 megahertz

**Signal Voltage Rating Per Channel:**

15.000 volts output

**Impedance Rating Per Channel:**

50.000 ohms operating channel

**Pulse Rise Time Per Channel:**

5.000 nanoseconds operating channel

**Pulse Decay Time Per Channel:**

5.000 nanoseconds operating channel

**Polarity Per Channel:**

Negative operating channel

**Pulse Modulation Type Per Channel:**

Amplitude operating channel

**Signal Data Type Per Channel:**

Operating channel pulse delay

**Output Wave Shape:**

Pulse, variable width

**Indicator Device Type And Quantity:**

1 light

**Connection Type And Location:**

Receptacle, coaxial front and integral cord w/power plug rear

**Operating Ac Frequency In Hertz:**

50.0 single voltage

**Connection Contact Type And Quantity:**

4 receptacle, coaxial internal and 3 receptacle, coaxial external

**External Ac Operating Voltage In Volts:**

230.0 single voltage

**Phase:**

Two

**Functional Classification:**

Bb-1.1

**Entry Date:**

90-10-01

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A32200