## NSN 6625-00-115-5087

Voltmeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-115-5087

Ci	ircuit	Current	For	Which	Designed:
----	--------	---------	-----	-------	-----------

Ac

**Overall Length:** 

2.100 inches

**Scale Division Quantity:** 

10 single indicator single range

**Mounting Stud Length:** 

1.190 inches

**Overall Diameter:** 

2.300 inches

**Distance Between Mounting Facility Centers:** 

1.250 inches

**Furnished Items And Quantity:** 

Clamp 1; term. Hdw 3

**Indicator Type:** 

Dial w/pointer

**Installation Design:** 

Panel

**Mounting Arrangement Style:** 

Two hole/stud

**Dial Scale Marking Color:** 

White single indicator single range

**Accuracy In Percent:** 

-2.0 to 2.0 at full scale single indicator single range

**Meter Depth Behind Mounting Flange:** 

1.230 inches

**Meter Body Diameter Behind Mounting Flange:** 

2.060 inches

**Movement Type:** 

Moving coil, permanent magnet

**Background Color:** 

Black single indicator single range

**Pointer Color:** 

Orange single indicator single range

Power Source:

External

**Mounting Facility Type And Quantity:** 

1 clamp and 2 threaded stud

**Scale Graduation Type:** 

Linear single indicator single range

**Measurement Range:** 

+8.0 to 18.0 volts, ac single indicator single range

## NSN 6625-00-115-5087

Voltmeter - Page 2 of 2



Mounting Stud Diameter:
0.190 inches
Scale Selection Method:
Terminal
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
3 threaded stud
Special Markings:
Scale marked batt chg; scale red from 8 to 11 and from 13 to 18; green from 11 to 13
Material:
Copper alloy
Nuclear Hardness Critical Feature:
Nonhardened
Style Designator:
Round flush mtg
Fsc Application Data:
Test set, elect. Equip.
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A310a0