

View Online at <https://aerobasegroup.com/nsn/6625-00-127-0079>

**Overall Length:**

20.300 inches

**Overall Height:**

6.200 inches

**Overall Width:**

12.900 inches

**Current Type:**

Ac

**Frequency Rating:**

Between 48.0 hertz and 440.0 hertz

**Accessory Components And Quantity:**

Accessory pouch 1; light filter 2; probe 2

**Voltage Rating:**

110.0 volts and 115.0 volts and 120.0 volts and 220.0 volts and 230.0 volts and 240.0 volts

**Beam Quantity:**

2

**Graduation Interval:**

Graduated in  $\sqrt{0.2}$  cm both axis

**Mounting Method:**

Table

**Accuracy Range In Percent:**

-1.0 to 1.0

**Screen Size:**

8.000 by 10.000 cm

**Sweep Circuits:**

Included

**Sweep Circuit Type:**

Horizontal

**Sweep Frequency Range:**

+0.0/+200.0 megahertz

**Amplifier Deflection Sensitivity Provision:**

Provided

**Vertical Deflection Sensitivity Voltage Rating:**

2.0 millivolts peak to peak per centimeter and 5.0 volts peak to peak per centimeter

**Horizontal Deflection Sensitivity Voltage Rating:**

2.0 millivolts cw megahertz and 5.0 volts peak to peak per centimeter

**Frequency Response Rating:**

Provided

**X-axis Frequency Response Rating:**

Between 0.0 megahertz and 1.0 megahertz

**Y-axis Frequency Response Rating:**

Between 0.0 megahertz and 1.0 megahertz

**Z-axis Frequency Response Rating:**

Between 0.0 megahertz and 50.0 megahertz

**Amplifier Input Impedance Rating Provision:**

Provided

**X-axis Input Impedance Rating:**

1.0 megohms

**Y-axis Input Impedance Rating:**

1.0 megohms

**Amplitude Calibrating Voltage Waveform:**

Any acceptable

**Calibrating Peak To Peak Amplitude:**

300.0 millivolts

**Calibrated Screen Scale:**

Included

**Camera Recording Device Accommodation:**

Provided

**Phase:**

Single

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T320-g