

View Online at <https://aerobasegroup.com/nsn/6625-00-129-8095>

Circuit Current For Which Designed:

Dc

Overall Length:

5.031 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.750 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

4.875 inches

Overall Height:

3.219 inches

Overall Width:

3.344 inches

Furnished Items And Quantity:

Nut 4; washer 4; shunt wire 1

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Four hole/stud rectangular/square

Dial Scale Marking Color:

Black single indicator all ranges

Accuracy In Percent:

-2.0/+2.0 at full scale single indicator all ranges

Panel For Which Designed:

Nonmagnetic

Movement Type:

Moving coil, permanent magnet

Background Color:

White single indicator all ranges

Pointer Color:

Red single indicator all ranges

Scale Marking:

Top scale: engine; 0 through 60 deg; bottom scale: dist.; 0 through 30 deg; below bottom scale: degrees advance

Mounting Facility Type And Quantity:

4 screw and 4 unthreaded hole

Scale Graduation Type:

Nonlinear single indicator all ranges

Features Provided:

Zero adjuster

Movement Suspension Method:

Jewel pivot base

Circuit Attachment Method And Quantity:

2 threaded stud

Material:

Plastic

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Rectangular flush mtg

Fsc Application Data:

Electrical, electronic properties measuring and test instruments

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A310a0