

| <b>NSN 6625-00-133-7672</b><br>Ammeter - Page 1 of 2          | AeroBas<br>Grou |
|---|-----------------|
| View Online at https://aerobasegroup.com/nsn/6625-00-133-7672 |                 |
| Circuit Current For Which Designed:                           |                 |
| Dc  |                 |
| Overall Length:   |                 |
| 2.500 inches  |                 |
| Mounting Hole Diameter:                                       |                 |
| 0.156 inches  |                 |
| Scale Division Quantity:                                      |                 |
| 100 single indicator single range                             |                 |
| Overall Diameter:   |                 |
| 3.500 inches  |                 |
| Mounting Bolt Circle Diameter:                                |                 |
| 3.156 inches  |                 |
| Indicator Type:   |                 |

Dial w/pointer

Installation Design:

Panel

**Mounting Arrangement Style:** 

Three hole/stud bolt circle

**Dial Scale Marking Color:** 

Black single indicator single range

**Accuracy In Percent:** 

-2.0 to 2.0 at full scale single indicator single range

Panel For Which Designed:

Nonmagnetic

**Meter Depth Behind Mounting Flange:** 

2.125 inches

**Meter Body Diameter Behind Mounting Flange:** 

2.750 inches

**Movement Type:** 

Moving coil, permanent magnet

**Background Color:** 

White single indicator single range

**Pointer Color:** 

Black single indicator single range

**Power Source:** 

External

**Mounting Facility Type And Quantity:** 

3 unthreaded hole

**Scale Graduation Type:** 

Linear single indicator single range

**Measurement Range:** 

+0.0 to 100.0 milliamperes, dc single indicator single range

## NSN 6625-00-133-7672

Ammeter - Page 2 of 2



| Circuit Construction Type:              |
|---|
| Nonelectronic                           |
| Features Provided:                      |
| Zero adjuster                           |
| Movement Suspension Method:             |
| Jewel pivot base                        |
| Circuit Attachment Method And Quantity: |
| 2 threaded stud                         |
| Material:                               |
| Copper alloy                            |
| Nuclear Hardness Critical Feature:      |
| Nonhardened                             |
| Style Designator:                       |
| Round flush mtg                         |
| Sc Application Data:                    |
| Гest set, elect. Equip.                 |
| Shelf Life:                             |
| N/a                                     |
| Jnit Of Measure:                        |
| -                                       |
| Demilitarization:                       |
| No                                      |
| Fiig:                                   |
| A310a0                                  |
|   |