NSN 6625-00-138-6522

Wattmeter - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6625-00-138-6522

Ac or dc Frequency Rating: Between 50.0 hertz and 400.0 hertz End Application: Test equipment Indicator Type: Digital display Installation Design: Rack Power Source: External Display Type: Light emitting diode (I.E.D.). Display Digit Quantity: 3 Scale Selection Method: Switch Circuit Attachment Method And Quantity: 1 connector, plug Operating Voltage Rating In Volts: Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Flig: H310a0	Circuit Current For Which Designed:
Between 50.0 hertz and 400.0 hertz End Application: Test equipment Indicator Type: Digital display Installation Design: Rack Power Source: External Display Type: Light emitting diode (I.E.D.). Display Digit Quantity: 3 Scale Selection Method: Switch Circuit Attachment Method And Quantity: 1 connector, plug Operating Voltage Rating In Volts: Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: Vua Unit of Measure: Demilitarization: No Fiig:	Ac or dc
End Application: Test equipment Indicator Type: Digital display Installation Design: Rack Power Source: External Display Type: Light emitting diode (I.E.D.). Display Digit Quantity: 3 Scale Selection Method: Switch Circuit Attachment Method And Quantity: 1 connector, pluy Operating Voltage Rating In Volts: Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Filig:	Frequency Rating:
Test equipment Indicator Type: Digital display Installation Design: Rack Power Source: External Display Type: Light emitting diode (I.E.D.). Display Digit Quantity: 3 Scale Selection Method: Switch Circuit Attachment Method And Quantity: 1 connector, plug Operating Voltage Rating In Volts: Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Filig:	Between 50.0 hertz and 400.0 hertz
Indicator Type: Digital display Installation Design: Rack Power Source: External Display Type: Light emitting diode (I.E.D.). Display Digit Quantity: 3 Scale Selection Method: Switch Circuit Attachment Method And Quantity: 1 connector, plug Operating Voltage Rating In Volts: Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	End Application:
Digital display Installation Design: Rack Power Source: External Display Type: Light emitting diode (I.E.D.). Display Digit Quantity: 3 Scale Selection Method: Switch Circuit Attachment Method And Quantity: 1 connector, plug Operating Voltage Rating in Volts: Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Filig:	Test equipment
Installation Design: Rack Power Source: External Display Type: Light emitting diode (I.E.D.). Display Digit Quantity: 3 Scale Selection Method: Switch Circuit Attachment Method And Quantity: 1 connector, plug Operating Voltage Rating in Volts: Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Indicator Type:
Rack Power Source: External Display Type: Light emitting diode (I.E.D.). Display Digit Quantity: 3 Scale Selection Method: Switch Circuit Attachment Method And Quantity: 1 connector, plug Operating Voltage Rating In Volts: Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Filg:	Digital display
Power Source: External Display Type: Light emitting diode (I.E.D.). Display Digit Quantity: 3 Scale Selection Method: Switch Circuit Attachment Method And Quantity: 1 connector, plug Operating Voltage Rating In Volts: Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Installation Design:
External Display Type: Light emitting diode (I.E.D.). Display Digit Quantity: 3 Scale Selection Method: Switch Circuit Attachment Method And Quantity: 1 connector, plug Operating Voltage Rating In Volts: Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Rack
Display Type: Light emitting diode (I.E.D.). Display Digit Quantity: 3 Scale Selection Method: Switch Circuit Attachment Method And Quantity: 1 connector, plug Operating Voltage Rating In Volts: Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Power Source:
Light emitting diode (I.E.D.). Display Digit Quantity: 3 Scale Selection Method: Switch Circuit Attachment Method And Quantity: 1 connector, plug Operating Voltage Rating In Volts: Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	External
Display Digit Quantity: 3 Scale Selection Method: Switch Circuit Attachment Method And Quantity: 1 connector, plug Operating Voltage Rating In Volts: Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Display Type:
Scale Selection Method: Switch Circuit Attachment Method And Quantity: 1 connector, plug Operating Voltage Rating In Volts: Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Light emitting diode (I.E.D.).
Scale Selection Method: Switch Circuit Attachment Method And Quantity: 1 connector, plug Operating Voltage Rating In Volts: Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Display Digit Quantity:
Switch Circuit Attachment Method And Quantity: 1 connector, plug Operating Voltage Rating In Volts: Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	3
Circuit Attachment Method And Quantity: 1 connector, plug Operating Voltage Rating In Volts: Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Scale Selection Method:
1 connector, plug Operating Voltage Rating In Volts: Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Switch
Operating Voltage Rating In Volts: Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Circuit Attachment Method And Quantity:
Between 115.0 ac and 230.0 ac Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	1 connector, plug
Phase: Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Operating Voltage Rating In Volts:
Single Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Between 115.0 ac and 230.0 ac
Special Features: 4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Phase:
4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Single
Style Designator: Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Special Features:
Rack Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	4 ranges with full scale readings of 10, 100 pica watts and 1 and 10 milli watts; manufacturers name power meter
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Style Designator:
N/a Unit Of Measure: Demilitarization: No Fiig:	Rack
Unit Of Measure: Demilitarization: No Fiig:	Shelf Life:
Demilitarization: No Fiig:	N/a
No Fiig:	Unit Of Measure:
No Fiig:	
Fiig:	Demilitarization:
	No
A310a0	Fiig:
	A310a0