

View Online at <https://aerobasegroup.com/nsn/6625-00-140-0029>

Circuit Current For Which Designed:

Ac and dc

Overall Depth:

3.187 inches

Overall Length:

6.500 inches

Overall Width:

5.125 inches

Scale Division Quantity:

50 single indicator 2nd range

Indicator Type:

Dial w/pointer

Installation Design:

Bench

Sensitivity Rating:

50.0 microamperes

Dial Scale Marking Color:

Black single indicator all ranges

Accuracy In Percent:

-4.0 to 4.0 at full scale single indicator 2nd range

Background Color:

White single indicator all ranges

Pointer Color:

Black single indicator all ranges

Power Source:

Internal

Scale Graduation Type:

Nonlinear single indicator 4th range

Measurement Range:

-20.0 to 2.0 decibels single indicator 1st range

Scale Selection Method:

Switch

Features Provided:

Electrical overload protection and internal battery accommodation and portable and zero adjuster

Circuit Attachment Method And Quantity:

2 probe, direct contact and 2 wire lead

Operating Voltage Rating In Volts:

1.5 dc

Special Markings:

Null guage: -; 0; +; band marked batt ok

Material:

Plastic

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Portable

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A310a0