

View Online at <https://aerobasegroup.com/nsn/6625-00-148-8097>

Overall Length:

21.219 inches

Overall Height:

11.500 inches

Overall Width:

8.250 inches

Current Type:

Ac

Frequency Rating:

48.0 hertz and 400.0 hertz

Accessory Components And Quantity:

Type10000a x 10 passive attenuator probes 3.5 ft lg 2, instruction manual 1, power cord 1 and 3-2 adapter 1

Voltage Rating:

115.0 volts and 230.0 volts

Beam Quantity:

1

Mounting Method:

Carrying case

Accuracy Range In Percent:

-1.0 to 1.0

Screen Size:

8 by 10 centimeters

Sweep Circuits:

Included

Generator Driven Feature:

Included

Sweep Circuit Type:

Horizontal and vertical

Sweep Frequency Range:

+0.0 to 4.0 hertz and +0.0/+60.0 megahertz

Single Trigger Sweep Duration:

Between 0.1 microseconds and 1.0 microseconds

Amplifier Deflection Sensitivity Provision:

Not provided

Input Intensity Modulation Feature:

Not provided

Amplitude Calibrating Voltage Waveform:

Square wave

Calibrating Peak To Peak Amplitude:

Between 1.0 volts and 3.0 volts

Camera Recording Device Accommodation:

Not provided

Phase:

Single or two

Special Features:

Portable; solid state; operating temp 0-55 degrees c; 2 vertical channels producing 1 trace each channel equals two traces; freq range dc to 50 mhz; 5 mv per cm sensitivity; 7 ns rise time

Reference Data And Literature:

To 33a1-13-458-1

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T320-g