## NSN 6625-00-165-5767

Voltmeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-165-5767

Circuit Current For Which Designed:
Ac
Overall Length:
2.421 inches
Mounting Hole Diameter:
0.125 inches
Scale Division Quantity:
75 single indicator single range
Overall Diameter:
2.687 inches
Mounting Bolt Circle Diameter:
1.218 inches
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Three hole/stud bolt circle
Dial Scale Marking Color:
White single indicator single range
Accuracy In Percent:
-2.0 to 2.0 at full scale single indicator single range
-2.0 to 2.0 at full scale single indicator single range  Meter Depth Behind Mounting Flange:
Meter Depth Behind Mounting Flange:
Meter Depth Behind Mounting Flange: 2.062 inches
Meter Depth Behind Mounting Flange: 2.062 inches Meter Body Diameter Behind Mounting Flange:
Meter Depth Behind Mounting Flange: 2.062 inches  Meter Body Diameter Behind Mounting Flange: 2.203 inches
Meter Depth Behind Mounting Flange: 2.062 inches  Meter Body Diameter Behind Mounting Flange: 2.203 inches  Movement Type:
Meter Depth Behind Mounting Flange: 2.062 inches  Meter Body Diameter Behind Mounting Flange: 2.203 inches  Movement Type:  Moving iron vane
Meter Depth Behind Mounting Flange: 2.062 inches  Meter Body Diameter Behind Mounting Flange: 2.203 inches  Movement Type:  Moving iron vane  Background Color:
Meter Depth Behind Mounting Flange: 2.062 inches  Meter Body Diameter Behind Mounting Flange: 2.203 inches  Movement Type:  Moving iron vane  Background Color:  Black single indicator single range
Meter Depth Behind Mounting Flange: 2.062 inches  Meter Body Diameter Behind Mounting Flange: 2.203 inches  Movement Type:  Moving iron vane  Background Color:  Black single indicator single range  Pointer Color:
Meter Depth Behind Mounting Flange: 2.062 inches  Meter Body Diameter Behind Mounting Flange: 2.203 inches  Movement Type:  Moving iron vane  Background Color:  Black single indicator single range  Pointer Color:  White single indicator single range
Meter Depth Behind Mounting Flange:  2.062 inches  Meter Body Diameter Behind Mounting Flange:  2.203 inches  Movement Type:  Moving iron vane  Background Color:  Black single indicator single range  Pointer Color:  White single indicator single range  Mounting Facility Type And Quantity:
Meter Depth Behind Mounting Flange:  2.062 inches  Meter Body Diameter Behind Mounting Flange:  2.203 inches  Movement Type:  Moving iron vane  Background Color:  Black single indicator single range  Pointer Color:  White single indicator single range  Mounting Facility Type And Quantity:  3 unthreaded hole
Meter Depth Behind Mounting Flange: 2.062 inches  Meter Body Diameter Behind Mounting Flange: 2.203 inches  Movement Type:  Moving iron vane  Background Color:  Black single indicator single range  Pointer Color:  White single indicator single range  Mounting Facility Type And Quantity: 3 unthreaded hole  Scale Graduation Type:
Meter Depth Behind Mounting Flange:  2.062 inches  Meter Body Diameter Behind Mounting Flange:  2.203 inches  Movement Type:  Moving iron vane  Background Color:  Black single indicator single range  Pointer Color:  White single indicator single range  Mounting Facility Type And Quantity:  3 unthreaded hole  Scale Graduation Type:  Linear single indicator single range
Meter Depth Behind Mounting Flange:  2.062 inches  Meter Body Diameter Behind Mounting Flange:  2.203 inches  Movement Type:  Moving iron vane  Background Color:  Black single indicator single range  Pointer Color:  White single indicator single range  Mounting Facility Type And Quantity:  3 unthreaded hole  Scale Graduation Type:  Linear single indicator single range  Measurement Range:
Meter Depth Behind Mounting Flange:  2.062 inches  Meter Body Diameter Behind Mounting Flange:  2.203 inches  Movement Type:  Moving iron vane  Background Color:  Black single indicator single range  Pointer Color:  White single indicator single range  Mounting Facility Type And Quantity:  3 unthreaded hole  Scale Graduation Type:  Linear single indicator single range  Measurement Range:  +0.0 to 150.0 volts, ac single indicator single range

2 threaded stud

## NSN 6625-00-165-5767

Voltmeter - Page 2 of 2



Nuclear Hardness Critical Feature:
Nonhardened
Style Designator:
Round flush mtg
Fsc Application Data:
Test set, elect. Equip.
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A310a0