

View Online at <https://aerobasegroup.com/nsn/6625-00-175-8082>

Circuit Current For Which Designed:

Dc

Overall Length:

3.437 inches

Mounting Hole Diameter:

0.156 inches

Overall Diameter:

4.500 inches

Environmental Protection:

Dustproof

Mounting Bolt Circle Diameter:

4.125 inches

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Six hole/stud bolt circle

Dial Scale Marking Color:

Black single indicator all ranges

Accuracy In Percent:

-2.0 to 2.0 at full scale single indicator all ranges

Panel For Which Designed:

Nonmagnetic

Meter Depth Behind Mounting Flange:

3.093 inches

Meter Body Diameter Behind Mounting Flange:

3.500 inches

Movement Type:

Moving coil, permanent magnet

Background Color:

White single indicator all ranges

Pointer Color:

Black single indicator all ranges

Scale Marking:

Two scales first form m16 to p16 minutes; seconds, units in angular degrees of deflection

Mounting Facility Type And Quantity:

6 unthreaded hole

Scale Graduation Type:

Nonlinear single indicator all ranges

Movement Suspension Method:

Taut band

Circuit Attachment Method And Quantity:

2 threaded stud

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Round flush mtg

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A310a0