

View Online at <https://aerobasegroup.com/nsn/6625-00-176-5708>

**Mounting Type:**

Case

**Overall Length:**

18.000 inches

**Overall Height:**

13.968 inches

**Overall Width:**

11.750 inches

**Current Type:**

Ac

**Frequency Rating:**

Between 50.0 hertz and 400.0 hertz

**Case Material:**

Steel

**Case Surface Treatment:**

Enameled

**Frequency Range Rating:**

+10.000 to 480.000 megahertz

**Accessory Component Quantity:**

1 and 2 and 1 and 1 and 1 and 1 and 1

**Accessory Controlling Agency:**

Hewlett-packard co; hewlett-packard co; hewlett-packard co; hewlett packard co; hewlett-packard co; hewlett-packard co; hewlett-packard co

**Accessory Identifying Number:**

K01-608e part no. And 10503a part no. And 11509a part no. And 11500a part no. And 1250-0780 part no. And 1250-0077 part no. And 608e part no.

**Joint Electronics Type Designation System Item Name:**

Generator signal

**Joint Electronics Type Designation System Item Type Number:**

Type no; an/usm-44b

**Internal Battery Accommodation:**

Not included

**Output Impedance Rating:**

50.0 ohms

**Voltage Rating:**

Between 115.0 volts and 230.0 volts

**Frequency Band Quantity:**

5

**Modulation Type:**

Am

**Accessory Component Name:**

Case, signal generator; output cable; fuse holder; output cable; adapter connector; adapter, connector; signal generator

**Calibration Accuracy Rating:**

Porm 0.5 pct

**Crystal Controlled Feature:**

Provided

**Calibrated Signal Output Range:**

0.1 uv to 1 v

**Signal Output Constancy:**

Porm 1 db maximum varieation throughout freq range

**Modulator Location:**

Internal

**Modulation Degree:**

Between 0.0 percent and 95.0 percent

**Phase:**

Single

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T320-j