

View Online at <https://aerobasegroup.com/nsn/6625-00-186-6221>

Circuit Current For Which Designed:

Dc

Overall Length:

2.984 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

Between 3.795 inches and 3.815 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

Between 0.742 inches and 0.758 inches

Overall Height:

1.444 inches

Overall Width:

4.234 inches

Mounting Hole Diameter:

0.138 inches

Environmental Protection:

Shock resistant and vibration resistant

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Four hole/stud rectangular/square

Dial Scale Marking Color:

Black all indicators single range

Meter Depth Behind Mounting Flange:

1.969 inches

Meter Body Width Behind Mounting Flange:

3.455 inches

Background Color:

White all indicators single range

Mounting Facility Type And Quantity:

1 flange and 4 threaded hole

Meter Body Height Behind Mounting Flange:

1.444 inches

Special Features:

6.1 to 7.3, 7.26 to 9.07 and 8.8 to 10.4 cw, 100ua required for full scale deflection

Material:

Aluminum

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Rectangular flush mtg

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A310a0