NSN 6625-00-189-3838

Ammeter - Page 1 of 2

1500.0

Circuit Current For Which Designed:

Dielectric Withstanding Voltage In Volts:



View Online at https://aerobasegroup.com/nsn/6625-00-189-3838

Overall Length:
3.500 inches
Scale Division Quantity:
10 single indicator single range
Overall Diameter:
2.250 inches
Environmental Protection:
Dust resistant
Furnished Items And Quantity:
Clamp 1
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Sensitivity Rating:
1900.0 millivolts
Dial Scale Marking Color:
Black single indicator single range
Acquirocy In Parcents
Accuracy In Percent:
-2.0 to 2.0 at full scale single indicator single range
•
-2.0 to 2.0 at full scale single indicator single range
-2.0 to 2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange:
-2.0 to 2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 0.750 inches
-2.0 to 2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 0.750 inches Meter Body Diameter Behind Mounting Flange:
-2.0 to 2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 0.750 inches Meter Body Diameter Behind Mounting Flange: Between 2.022 inches and 2.037 inches
-2.0 to 2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 0.750 inches Meter Body Diameter Behind Mounting Flange: Between 2.022 inches and 2.037 inches Movement Type:
-2.0 to 2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 0.750 inches Meter Body Diameter Behind Mounting Flange: Between 2.022 inches and 2.037 inches Movement Type: Moving coil, permanent magnet
-2.0 to 2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 0.750 inches Meter Body Diameter Behind Mounting Flange: Between 2.022 inches and 2.037 inches Movement Type: Moving coil, permanent magnet Background Color:
-2.0 to 2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 0.750 inches Meter Body Diameter Behind Mounting Flange: Between 2.022 inches and 2.037 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range
-2.0 to 2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 0.750 inches Meter Body Diameter Behind Mounting Flange: Between 2.022 inches and 2.037 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Pointer Color:
-2.0 to 2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 0.750 inches Meter Body Diameter Behind Mounting Flange: Between 2.022 inches and 2.037 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Pointer Color: Black single indicator single range
-2.0 to 2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 0.750 inches Meter Body Diameter Behind Mounting Flange: Between 2.022 inches and 2.037 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Pointer Color: Black single indicator single range Power Source:
-2.0 to 2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 0.750 inches Meter Body Diameter Behind Mounting Flange: Between 2.022 inches and 2.037 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Pointer Color: Black single indicator single range Power Source: External
-2.0 to 2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 0.750 inches Meter Body Diameter Behind Mounting Flange: Between 2.022 inches and 2.037 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Pointer Color: Black single indicator single range Power Source: External Mounting Facility Type And Quantity:

-20.0 to 20.0 amperes, dc single indicator single range

Measurement Range:

NSN 6625-00-189-3838

Ammeter - Page 2 of 2



Scale Selection Method:
Terminal
Features Provided:
Zero adjuster
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 threaded stud
Nuclear Hardness Critical Feature:
Nonhardened
Style Designator:
Round flush mtg
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A310a0