## NSN 6625-00-197-3034

Voltmeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-197-3034

Circuit Current For Which Designed:
Dc
Reliability Indicator:
Not established
Overall Length:
2.430 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
3.560 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
4.000 inches
Overall Height:
4.000 inches
Overall Width:
4.680 inches
Scale Division Quantity:
60 single indicator single range
Mounting Stud Length:
0.650 inches
Installation Design:
Panel
Mounting Arrangement Style:
Four hole/stud rectangular/square
Sensitivity Rating:
1000.0 ohms per volt
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator all ranges
Meter Depth Behind Mounting Flange:
1.080 inches
Meter Body Diameter Behind Mounting Flange:
2.750 inches
Movement Type:
Moving coil, permanent magnet
Background Color:
White single indicator single range
Mounting Facility Type And Quantity:
4 threaded stud
Measurement Range:
+0.0/+30.0 volts, dc single indicator single range
Mounting Stud Diameter:

0.138 inches

## NSN 6625-00-197-3034

Voltmeter - Page 2 of 2



## Movement Suspension Method: Jewel pivot base Circuit Attachment Method And Quantity: 2 threaded stud Material: Plastic Style Designator: Rectangular flush mtg Fsc Application Data: Test set, elect. Equip. Shelf Life: N/a Unit Of Measure: - Demilitarization:

Yes - demil/mli

**Fiig:** A310a0