

View Online at <https://aerobasegroup.com/nsn/6625-00-205-9626>

Circuit Current For Which Designed:

Dc

Overall Length:

1.563 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.297 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.297 inches

Overall Height:

1.750 inches

Overall Width:

1.750 inches

Mounting Hole Diameter:

0.099 inches

Scale Division Quantity:

14 single indicator single range

Furnished Items And Quantity:

Nut 6; washer 6; gasket 1

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Four hole/stud rectangular/square

Dial Scale Marking Color:

Black single indicator single range

Accuracy In Percent:

-2.0 to 2.0 at full scale single indicator single range

Meter Depth Behind Mounting Flange:

0.969 inches

Meter Body Diameter Behind Mounting Flange:

1.484 inches

Movement Type:

Moving coil, permanent magnet

Background Color:

White single indicator single range

Pointer Color:

Black single indicator single range

Mounting Facility Type And Quantity:

4 screw and 4 unthreaded hole

Scale Graduation Type:

Linear single indicator single range

Measurement Range:

+0.0 to 7.0 degrees single indicator single range

Features Provided:

Zero adjuster

Movement Suspension Method:

Jewel pivot base

Circuit Attachment Method And Quantity:

2 solder lug and 2 threaded stud

Special Markings:

Plus sign next to positive terminal; sealed do not open on back of metr

Material:

Steel

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Rectangular flush mtg

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A310a0