NSN 6625-00-212-7321

Ammeter - Page 1 of 2

Ac

Overall Length: 2.172 inches Overall Height:

Circuit Current For Which Designed:



View Online at https://aerobasegroup.com/nsn/6625-00-212-7321

4.000 inches
Overall Width:
4.500 inches
Mounting Stud Length:
0.547 inches
Distance Between Mounting Facility Centers:
3.500 inches
Installation Design:
Panel
Mounting Arrangement Style:
Two hole/stud
Frequency Response Range:
+25.000/+500.000 hertz
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
1.641 inches
Meter Body Diameter Behind Mounting Flange:
2.790 inches
Movement Type:
Moving iron vane
Background Color:
Background Color: White single indicator single range
-
White single indicator single range
White single indicator single range Mounting Facility Type And Quantity:
White single indicator single range Mounting Facility Type And Quantity: 2 threaded stud
White single indicator single range Mounting Facility Type And Quantity: 2 threaded stud Measurement Range:
White single indicator single range Mounting Facility Type And Quantity: 2 threaded stud Measurement Range: +0.0/+150.0 amperes, ac single indicator single range
White single indicator single range Mounting Facility Type And Quantity: 2 threaded stud Measurement Range: +0.0/+150.0 amperes, ac single indicator single range Mounting Stud Diameter:
White single indicator single range Mounting Facility Type And Quantity: 2 threaded stud Measurement Range: +0.0/+150.0 amperes, ac single indicator single range Mounting Stud Diameter: 0.180 inches
White single indicator single range Mounting Facility Type And Quantity: 2 threaded stud Measurement Range: +0.0/+150.0 amperes, ac single indicator single range Mounting Stud Diameter: 0.180 inches Movement Suspension Method:
White single indicator single range Mounting Facility Type And Quantity: 2 threaded stud Measurement Range: +0.0/+150.0 amperes, ac single indicator single range Mounting Stud Diameter: 0.180 inches Movement Suspension Method: Taut band
White single indicator single range Mounting Facility Type And Quantity: 2 threaded stud Measurement Range: +0.0/+150.0 amperes, ac single indicator single range Mounting Stud Diameter: 0.180 inches Movement Suspension Method: Taut band Circuit Attachment Method And Quantity:
White single indicator single range Mounting Facility Type And Quantity: 2 threaded stud Measurement Range: +0.0/+150.0 amperes, ac single indicator single range Mounting Stud Diameter: 0.180 inches Movement Suspension Method: Taut band Circuit Attachment Method And Quantity: 2 threaded stud

NSN 6625-00-212-7321

Ammeter - Page 2 of 2



Style	Des	siar	ato	r-
Otylo		, gi	iato	

Rectangular flush mtg

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A310a0